

SAFETY DATA SHEET

Mega Clean 500ml

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of	the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	roduct name Mega Clean 500ml		
1.2. Relevant identified uses	of the substance or mixture and uses advised against		
Identified uses	Cleaning agent.		
Uses advised against	No specific uses advised against are identified.		
1.3. Details of the supplier of	the safety data sheet		
Supplier	Chrome (Northwest) Ltd. Unit 2 Norton Way Moss Lane Industrial Estate Sandbach Cheshire CW11 3YT T: +44 (0) 1606 841870 E: sales@chromecp.com		
1.4. Emergency telephone number			
Emergency telephone	+44 (0) 1606 841870 +44 (0) 7914 768304		
SECTION 2: Hazards identification			
2.1. Classification of the subs	tance or mixture		
Classification (EC 1272/2008	-		
Physical hazards	Not Classified		
Health hazards	Eye Irrit. 2 - H319		
Environmental hazards	Not Classified		
Human health	The product is irritating to eyes and skin.		
2.2. Label elements			
Hazard pictograms			
Signal word	Warning		
Hazard statements	H319 Causes serious eye irritation.		

·	 P102 Keep out of reach of children. P264 Wash contaminated skin thoroughly after handling. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Detergent labelling	< 5% amphoteric surfactants, < 5% EDTA and salts thereof, < 5% perfumes, Contains D-LIMONENE
Supplementary precautionary statements	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures Tetrasodium ethylenediaminetetraacetate 1 - <2.5% CAS number: 64-02-8 EC number: 200-573-9 REACH registration number: 01-2119486762-27-XXXX Classification Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Dam. 1 - H318 STOT RE 2 - H373 Sodium hydroxide 0.25 - <0.5% CAS number: 1310-73-2 EC number: 215-185-5 Classification Met. Corr. 1 - H290 Skin Corr. 1A - H314 Eye Dam. 1 - H318 **Diethyl phthalate** 0.025 - <0.25% CAS number: 84-66-2 EC number: 201-550-6 Substance with National workplace exposure limits. Classification Not Classified The full text for all hazard statements is displayed in Section 16. **SECTION 4: First aid measures**

4.1. Description of first aid measures

General information

Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.

Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.		
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.		
Skin contact	Wash skin thoroughly with soap and water.		
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.		
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.		
4.2. Most important symptoms and effects, both acute and delayed			
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.		
Ingestion	May cause discomfort if swallowed.		
Skin contact	No specific symptoms known.		
Eye contact	Irritating to eyes.		
4.3. Indication of any immediate medical attention and special treatment needed			
Notes for the doctor	Treat symptomatically.		
SECTION 5: Firefighting meas	sures		
5.1. Extinguishing media			
Suitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire.		
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.		
5.2. Special hazards arising fro	om the substance or mixture		
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up.		
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.		
5.3. Advice for firefighters			
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.		
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.		
SECTION 6: Accidental release			

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Do not touch or walk into spilled material. Wear protective clothing as described in Section 8
	of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Small Spillages: Wipe up with an absorbent cloth and dispose of waste safely. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. For waste disposal, see Section 13.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions	Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use.	
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.	
7.2. Conditions for safe storage	e, including any incompatibilities	
Storage precautions	Store away from incompatible materials (see Section 10). Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep containers upright. Protect containers from damage.	
Storage class	Chemical storage.	
7.3. Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.2.	
SECTION 8: Exposure controls	s/Personal protection	
8.1. Control parameters		
Occupational exposure limits		
Sodium hydroxide		

Short-term exposure limit (15-minute): WEL 2 mg/m³

Diethyl phthalate

Long-term exposure limit (8-hour TWA): WEL 5 mg/m³ Short-term exposure limit (15-minute): WEL 10 mg/m³ WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with European Standard EN374. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Keep container tightly sealed when not in use. Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties Appearance Liquid. Colour Yellow.

•
Yellow.
Citrus.
Not available.
Not known.
Not available.
Not available.
Not available.

Viscosity	Not applicable.		
Explosive properties	Not considered to be explosive.		
Oxidising properties	Does not meet the criteria for classification as oxidising.		
9.2. Other information			
Other information	No information required.		
SECTION 10: Stability and read	ctivity		
10.1. Reactivity			
Reactivity	See the other subsections of this section for further details.		
10.2. Chemical stability			
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.		
10.3. Possibility of hazardous re	eactions		
Possibility of hazardous reactions	The following materials may react with the product: Acids.		
10.4. Conditions to avoid			
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.		
10.5. Incompatible materials			
Materials to avoid	Strong oxidising agents. Acids.		
10.6. Hazardous decomposition	ו products		
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.		
SECTION 11: Toxicological info	ormation		
11.1. Information on toxicologic	al effects		
Acute toxicity - oral Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.		
ATE oral (mg/kg)	110,387.6		
Acute toxicity - dermal			
Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.		
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.		
ATE inhalation (dusts/mists mg/l)	93.02		
Skin corrosion/irritation Animal data			
	Based on available data the classification criteria are not met.		
Serious eye damage/irritation Serious eye damage/irritation	Based on available data the classification criteria are not met. Causes serious eye irritation.		

Skin sensitisation	Based on available data the classification criteria are not met.		
Germ cell mutagenicity			
Genotoxicity - in vitro	Based on available data the classification criteria are not met.		
Carcinogenicity			
Carcinogenicity	Based on available data the classification criteria are not met.		
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiat as to its carcinogenicity to humans.		
Reproductive toxicity			
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.		
Reproductive toxicity - development	Based on available data the classification criteria are not met.		
Specific target organ toxicity -	single exposure		
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.		
Specific target organ toxicity -	repeated exposure		
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.		
Aspiration hazard			
Aspiration hazard	Based on available data the classification criteria are not met.		
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.		
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.		
Ingestion	May cause discomfort if swallowed.		
Skin contact	No specific symptoms known.		
Eye contact	Irritating to eyes.		
Route of exposure	Ingestion Inhalation Skin and/or eye contact		
Target organs	No specific target organs known.		
Toxicological information on in	gredients.		

Tetrasodium ethylenediaminetetraacetate

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	1,780.0
Species	Rat
Notes (oral LD₅₀)	REACH dossier information. Harmful if swallowed.
ATE oral (mg/kg)	1,780.0
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Harmful if inhaled.
ATE inhalation (dusts/mists mg/l)	1.5
Skin corrosion/irritation	

Animal data	Dose: 0.5g, 4 hours, Rabbit Erythema/eschar score: Very slight erythema - barely perceptible (1). Oedema score: No oedema (0). REACH dossier information. Based on available data the classification criteria are not met.		
Serious eye damage/irritatio	on		
Serious eye damage/irritation	Causes serious eye damage.		
Skin sensitisation			
Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.		
Germ cell mutagenicity			
Genotoxicity - in vitro	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.		
Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.		
Carcinogenicity			
Carcinogenicity	NOAEL >500 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.		
Reproductive toxicity			
Reproductive toxicity - fertility	Multi-generation study - NOAEL >250 mg/kg/day, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met.		
Reproductive toxicity - development	Developmental toxicity: - NOAEL: >1374 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.		
Specific target organ toxicit	y - repeated exposure		
STOT - repeated exposure	STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure.		
	Sodium hydroxide		
Skin corrosion/irritation			
Animal data	Skin Corr. 1A - H314		
Serious eye damage/irritation			
Serious eye damage/irritation	Corrosive to skin. Corrosivity to eyes is assumed.		
Skin sensitisation			
Skin sensitisation Skin sensitisation	Patch test - Human: Not sensitising.		
	Patch test - Human: Not sensitising.		
Skin sensitisation	Patch test - Human: Not sensitising. Not relevant. Solid.		

Ecotoxicity

Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

12.1. Toxicity

Toxicity	

Based on available data the classification criteria are not met.

Ecological information on ingredients.

Tetrasodium ethylenediaminetetraaceta	te
---------------------------------------	----

	Toxicity	Based on available data the classification criteria are not met.
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 121 mg/l, Lepomis macrochirus (Bluegill)
	Acute toxicity - aquatic invertebrates	EC₅₀, 24 hours: 625 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: 2.77 mg/l, Scenedesmus subspicatus
	Chronic aquatic toxicity	
	Chronic toxicity - fish early life stage	NOEC, 35 days: >25.7 mg/l, Brachydanio rerio (Zebra Fish)
	Chronic toxicity - aquatic invertebrates	NOEC, 21 days: 25 mg/l, Daphnia magna
		Sodium hydroxide
	Toxicity	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.
	Acute aquatic toxicity	
	Acute toxicity - aquatic invertebrates	EC₅₀, 48 hours: 40.4 mg/l, Ceriodaphnia sp.
12.2. Persist	tence and degradability	
Persistence	and degradability The degr	radability of the product is not known.
Ecological ir	formation on ingredients.	
		Tetrasodium ethylenediaminetetraacetate
	Perciptones and	The product is not readily biodegradable

Persistence and degradability	The product is not readily biodegradable.
Phototransformation	Water - DT₅₀ : 2.12 hours
Biodegradation	Water - Degradation 0-10%: 28 days
	Sodium hydroxide
Persistence and	The product contains only inorganic substances which are not biodegradable.

degradability

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not available.

Ecological information on ingredients.

Tetrasodium ethylenediaminetetraacetate

Bioaccumulative potential BCF: 1.1-1.8, Lepomis macrochirus (Bluegill) The product is not bioaccumulating.

Sodium hydroxide

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility

No data available.

Ecological information on ingredients.

Tetrasodium ethylenediaminetetraacetate

Mobility	The product is soluble in water.
Adsorption/desorption coefficient	Water - log Koc: 3.02 @ 20°C Estimated value.

Sodium hydroxide

Mobility

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB This product does not contain any substances classified as PBT or vPvB.

assessment

The product is soluble in water.

Ecological information on ingredients.

Tetrasodium ethylenediaminetetraacetate

Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
	Sodium hydroxide

Results of PBT and vPvB This substance is not classified as PBT or vPvB according to current EU criteria. assessment

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

None Ki

13.1. Waste treatment methods

Disposal methods Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.	General information	Reuse or recycle products wherever possible. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
	Disposal methods	Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture		
National regulations	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.	
EU legislation	 Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended). 	

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate. LC₅₀: Lethal Concentration to 50 % of a test population. LD₅₀: Lethal Dose to 50% of a test population (Median Lethal Dose). EC₅₀: 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
Classification abbreviations and acronyms	Eye Irrit. = Eye irritation
Classification procedures according to Regulation (EC) 1272/2008	Eye Irrit. 2 - H319: : Calculation method.
Training advice	Read and follow manufacturer's recommendations.
Revision date	27/11/2018
Revision	1
Supersedes date	06/09/2018
SDS number	7919
Hazard statements in full	 H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.