

SAFETY DATA SHEET

Super Fabric Cleaner

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product name	Super Fabric Cleaner		
1.2. Relevant identified uses	1.2. Relevant identified uses of the substance or mixture and uses advised against		
Identified uses	Fabric cleaner.		
Uses advised against	No specific uses advised against are identified.		
1.3. Details of the supplier of	the safety data sheet		
Supplier	Chrome (Northwest) Ltd. Unit 2 Norton Way Moss Lane Industrial Estate Sandbach Cheshire CW11 3YT T: +44 (0) 1606 841870 E: sales@chromecp.com		
1.4. Emergency telephone nu	Imber		
Emergency telephone	+44 (0) 1606 841870 +44 (0) 7914 768304		
SECTION 2: Hazards identified	cation		
2.1. Classification of the subs	stance or mixture		
Classification (EC 1272/2008	<u>-</u>		
Physical hazards	Not Classified		
Health hazards	Eye Irrit. 2 - H319		
Environmental hazards	Not Classified		
Human health	Irritating to eyes.		
2.2. Label elements			
Hazard pictograms			
Signal word	Warning		
Hazard statements	H319 Causes serious eye irritation.		

Precautionary statements	 P102 Keep out of reach of children. P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with local regulations.
Detergent labelling	< 5% amphoteric surfactants, < 5% EDTA and salts thereof, < 5% non-ionic surfactants, < 5% perfumes, Contains D-LIMONENE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Tetrasodium ethylenediaminetetraacetate		1 - <2.5%
CAS number: 64-02-8	EC number: 200-573-9	REACH registration number: 01- 2119486762-27-XXXX
Classification		
Acute Tox. 4 - H302		
Acute Tox. 4 - H332		
Eye Dam. 1 - H318		
STOT RE 2 - H373		
Propan-2-ol		0.5 - <1%
CAS number: 67-63-0	EC number: 200-661-7	REACH registration number: 01-
		2119457558-25-XXXX
Classification		
Flam. Liq. 2 - H225		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
Sodium hydroxide		0.25 - <0.5%
CAS number: 1310-73-2	EC number: 215-185-5	
Classification		
Met. Corr. 1 - H290		
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		
2,2'-Oxybisethanol		0.025 - <0.25%
CAS number: 111-46-6	EC number: 203-872-2	
Classification		
Acute Tox. 4 - H302		
STOT RE 2 - H373		

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
Skin contact	Rinse with water.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
4.2. Most important symptoms	and effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	Irritating to eyes.
4.3. Indication of any immedia	te medical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
Notes for the doctor SECTION 5: Firefighting meas	
SECTION 5: Firefighting meas	
SECTION 5: Firefighting meas	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
SECTION 5: Firefighting meas 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising fre	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire.
SECTION 5: Firefighting mease 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising fm Specific hazards Hazardous combustion	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. Om the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances:
SECTION 5: Firefighting mease 5.1. Extinguishing media Suitable extinguishing media Unsuitable extinguishing media 5.2. Special hazards arising fm Specific hazards Hazardous combustion products	Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire- extinguishing media suitable for the surrounding fire. Do not use water jet as an extinguisher, as this will spread the fire. Om the substance or mixture Containers can burst violently or explode when heated, due to excessive pressure build-up. Thermal decomposition or combustion products may include the following substances:

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures Personal precautions Do not touch or walk into spilled material. Wear protective clothing as described in Section 8 of this safety data sheet. 6.2. Environmental precautions **Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. 6.3. Methods and material for containment and cleaning up Methods for cleaning up Wear protective clothing as described in Section 8 of this safety data sheet. Small Spillages: Wipe up with an absorbent cloth and dispose of waste safely. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. For waste disposal, see Section 13. Wash thoroughly after dealing with a spillage. 6.4. Reference to other sections Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. SECTION 7: Handling and storage 7.1. Precautions for safe handling Keep out of the reach of children. Read and follow manufacturer's recommendations. Wear Usage precautions protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Advice on general Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash occupational hygiene contaminated clothing before reuse. 7.2. Conditions for safe storage, including any incompatibilities Storage precautions Store away from incompatible materials (see Section 10). Keep out of the reach of children. Keep away from food, drink and animal feeding stuffs. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Storage class Chemical storage. 7.3. Specific end use(s) Specific end use(s) The identified uses for this product are detailed in Section 1.2. SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Propan-2-ol

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³ Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

Sodium hydroxide

Short-term exposure limit (15-minute): WEL 2 mg/m³

2,2'-Oxybisethanol

Long-term exposure limit (8-hour TWA): WEL 23 ppm 101 mg/m³

WEL = Workplace Exposure Limit

8.2. Exposure controls

Protective equipment

Appropriate engineering controls	Provide adequate ventilation.
Eye/face protection	Avoid contact with eyes. Large Spillages: Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.
Hand protection	No specific hand protection recommended. For users with sensitive skin, it is recommended that suitable protective gloves are worn.
Hygiene measures	Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.
Respiratory protection	Provide adequate ventilation. Large Spillages: If ventilation is inadequate, suitable respiratory protection must be worn.
Environmental exposure controls	Keep container tightly sealed when not in use. Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1. Information on basic phys	ical and chemical properties
Appearance	Liquid.
Colour	Blue-green.
Odour	Characteristic.
Odour threshold	Not available.
рН	Not available.
Melting point	Not available.
Initial boiling point and range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density	Not available.
Solubility(ies)	Not known.
Partition coefficient	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity	Not applicable.

Explosive properties	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Other information	No information required.
SECTION 10: Stability and rea	ctivity
10.1. Reactivity	
Reactivity	See the other subsections of this section for further details.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	No potentially hazardous reactions known.
10.4. Conditions to avoid	
Conditions to avoid	There are no known conditions that are likely to result in a hazardous situation.
10.5. Incompatible materials	
Materials to avoid	Strong acids.
10.6. Hazardous decompositio	n products
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological inf	formation
11.1. Information on toxicologi	cal effects
Acute toxicity - oral	
Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
ATE oral (mg/kg)	122,758.62
Acute toxicity - dermal Notes (dermal LD₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
ATE inhalation (dusts/mists mg/l)	103.45
Skin corrosion/irritation Animal data	Based on available data the classification criteria are not met.
Serious eye damage/irritation Serious eye damage/irritation	Causes serious eye irritation.
Respiratory sensitisation Respiratory sensitisation	Based on available data the classification criteria are not met.
Skin sensitisation Skin sensitisation	Based on available data the classification criteria are not met.

Germ cell mutagenicity Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
IARC carcinogenicity	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Reproductive toxicity - development	Based on available data the classification criteria are not met.
Specific target organ toxicity -	single exposure
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.
Specific target organ toxicity -	repeated exposure
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.
Aspiration hazard Aspiration hazard	Based on available data the classification criteria are not met.
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	May cause discomfort if swallowed.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	Irritating to eyes.
Route of exposure	Ingestion Inhalation Skin and/or eye contact
Target organs	No specific target organs known.
Toxicological information on in	aredients.

Toxicological information on ingredients.

Tetrasodium ethylenediaminetetraacetate

Acute toxicity - oral	
Acute toxicity oral (LD₅₀ mg/kg)	1,780.0
Species	Rat
Notes (oral LD₅₀)	REACH dossier information. Harmful if swallowed.
ATE oral (mg/kg)	1,780.0
Acute toxicity - inhalation	
Notes (inhalation LC ₅₀)	Harmful if inhaled.
ATE inhalation (dusts/mists mg/l)	1.5
Skin corrosion/irritation	

Super Fabric Cleaner

	Animal data	Dose: 0.5g, 4 hours, Rabbit Erythema/eschar score: Very slight erythema - barely perceptible (1). Oedema score: No oedema (0). REACH dossier information. Based on available data the classification criteria are not met.
	Serious eye damage/irritat	ion
	Serious eye damage/irritation	Causes serious eye damage.
	Skin sensitisation	
	Skin sensitisation	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising. REACH dossier information. Based on available data the classification criteria are not met.
	Germ cell mutagenicity	
	Genotoxicity - in vitro	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
	Genotoxicity - in vivo	Chromosome aberration: Negative. REACH dossier information. Based on available data the classification criteria are not met.
	Carcinogenicity	
	Carcinogenicity	NOAEL >500 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
	Reproductive toxicity	
	Reproductive toxicity - fertility	Multi-generation study - NOAEL >250 mg/kg/day, Oral, Rat P REACH dossier information. Based on available data the classification criteria are not met.
	Reproductive toxicity - development	Developmental toxicity: - NOAEL: >1374 mg/kg/day, Oral, Rat REACH dossier information. Based on available data the classification criteria are not met.
	Specific target organ toxici	ty - repeated exposure
	STOT - repeated exposure	STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure.
SECTION 1	2: Ecological information	
Ecotoxicity	-	arded as dangerous for the environment. However, large or frequent spills may have ous effects on the environment.
12.1. Toxicit	<u>v</u>	
Toxicity	Based o	on available data the classification criteria are not met.
Ecological in	nformation on ingredients.	
		Tetrasodium ethylenediaminetetraacetate
	Toxicity	Based on available data the classification criteria are not met.
	Acute aquatic toxicity	
	Acute toxicity - fish	LC₅₀, 96 hours: 121 mg/l, Lepomis macrochirus (Bluegill)
	Acute toxicity - aquatic invertebrates	EC₅₀, 24 hours: 625 mg/l, Daphnia magna
	Acute toxicity - aquatic plants	EC₅₀, 72 hours: 2.77 mg/l, Scenedesmus subspicatus
	Chronic aquatic toxicity	

Chronic toxicity - fish early NOEC, 35 days: >25.7 mg/l, Brachydanio rerio (Zebra Fish) life stage

Chronic toxicity - aquatic NOEC, 21 days: 25 mg/l, Daphnia magna invertebrates

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Ecological information on ingredients.

	Tetrasodium ethylenediaminetetraacetate
Persistence and degradability	The product is not readily biodegradable.
Phototransformation	Water - DT₅₀ : 2.12 hours
Biodegradation	Water - Degradation 0-10%: 28 days
12.3. Bioaccumulative potential	
Bioaccumulative potential No da	ata available on bioaccumulation.
Partition coefficient Not a	vailable.
Ecological information on ingredients	<u>.</u>
	Tetrasodium ethylenediaminetetraacetate
Bioaccumulative potenti	al BCF: 1.1-1.8, Lepomis macrochirus (Bluegill) The product is not bioaccumulating.
12.4. Mobility in soil	
Mobility No da	ata available.
Ecological information on ingredients	
	Tetrasodium ethylenediaminetetraacetate
Mobility	The product is soluble in water.
Adsorption/desorption coefficient	Water - log Koc: 3.02 @ 20°C Estimated value.
12.5. Results of PBT and vPvB asses	ssment
Results of PBT and vPvBThisassessment	product does not contain any substances classified as PBT or vPvB.
Ecological information on ingredients	<u>.</u>
	Tetrasodium ethylenediaminetetraacetate
Results of PBT and vPv assessment	B This substance is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	
Other adverse effects None	known.
SECTION 13: Disposal consideration	S

13.1. Waste treatment methods

General information	Reuse or recycle products wherever possible. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.
Disposal methods	Do not empty into drains. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
SECTION 14: Transport information	

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits. EU legislation Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March

Regulation (EC) No 648/2004 of the European Parliament and of the Council of 31 March 2004 on detergents (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

ADR: European Agreement concerning the International Carriage of Dangerous Goods by
Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by
Inland Waterways.
RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
IATA: International Air Transport Association.
ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
IMDG: International Maritime Dangerous Goods.
CAS: Chemical Abstracts Service.
ATE: Acute Toxicity Estimate.
LC_{50} : Lethal Concentration to 50 % of a test population.
LD ₅₀ : Lethal Dose to 50% of a test population (Median Lethal Dose).
EC₅₀: 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance.
vPvB: Very Persistent and Very Bioaccumulative.
Eye Irrit. = Eye irritation
Eye Irrit. 2 - H319: : Calculation method.
Read and follow manufacturer's recommendations.
27/11/2018
1
04/09/2018
7939
 H225 Highly flammable liquid and vapour. H290 May be corrosive to metals. H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.